



5AK COMPACTOR



CONFINED SPACES, NO PROBLEM!

The 6PAK COMPACTOR is easy to use as it packs waste and recyclable materials, and represents the perfect alternative to front load containers located in limited areas.

Equipped with an integrated compacting system, such equipment can reach a 6-to-1 compaction rate for certain types of waste!

KEY FEATURES

- The fully leak-tight container keeps the waste collection site neat, it eliminates odors and repels rodents
- The CAT.3 Security Controller prevents any circumvention of operations
- The digital keypad easily opens the loading door
- The keypad programming only gives access to properly trained employees for better waste disposal operation monitoring
- The cover can be configured for a front or rear load
- The loading door is effortlessly accessible, making it easier to load the container and avoid injuries or spills
- Winter Mode: When the temperature drops below freezing, the 6PAK compactor automatically switches to the winter mode and activates a cycle every 30 minutes in order to keep the ram from freezing
- > Running engine noise level: 72 dB







COMPACTOR


TECHNICAL SPECIFICATIONS

ELECTRICAL OPTIONS

VOLTAGE	PHASE	POWER	AMPERAGE	GPM	CYCLE TIME
600 V	3 ph	3 HP	5 amp.	2.79	50 sec.
208 V	3 ph	2 HP	8 amp.	2.36	60 sec.
240 V	1 ph	2 HP	11 amp.	2.36	60 sec.
120 V	1 ph	1 HP	17 amp.	1.53	120 sec.


Tare weight: 2,700 lbs.


Loading door opening: 30" x 21"



64 1/2"

FRONT VIEW





SIDE VIEW





MÉTALLURGIE DES APPALACHES

2323, AVENUE DES ÉRABLES PLESSISVILLE (QC) CANADA G6L 2E9

T. 819.362.2424

F. 819.364.7066

AUTHORIZED DEALER