

MDA COMPACTION

SOLUTIONS  



Bale size :
48" X 30" X 36"

Bale weight :
Up to 655 lbs

Loading size :
20.5" X 48"



VERTICAL BALER LOW PROFILE - 2 CYLINDERS

CARDBOARD | PLASTIC




BULLPAK 655 M SERIE



UNMATCHED SECURITY

UNIQUE SAFETY FEATURE

- Submersible pump for zero-splash maintenance and quiet operation submerged hydraulic system (85DB).¹
- Hinged hydraulic reservoir for easy maintenance without spillage.
- Door equipped with retention pins.²
- Robust monocoque structure for long lasting durability.
- Accessibility to moving parts is fully protected.
Baler all around protected.



1



2

IS SECURITY REALLY AN OPTION?

SECURITY OPTIONS

BULLPEN

An exclusive mobile belt to keep operator and secure the bale ejection area.

BULLGUARD

An automatically opening barrier protecting the operator when ejecting a bale.

BULLHORN

Unique safety system to prevent the ram from collapsing when the door is opened.

SECUREPAK

Security management system making it impossible to bypass security operations.



The control panel is built according to
CSA norm C 22.2 # 286-23 certificat LR-108292



US PATENT : 10,125,923,B2



US PATENT : 10,125,923,B2



US PATENT : 10,125,923,B2



EFFICIENCY OPTIONS

FEATURES :

- Automatic bale ejection system once bale is ready.
- Pin attachment guide allows the bale to be attached without access to the rear of the baler. This allows the baler to be mounted against a wall.




HYDRAULIC AND ELECTRICAL PERFORMANCE

10 HP MOTOR	600 VOLTS 3 PHASES	480 VOLTS 3 PHASES	208 VOLTS 3 PHASES	240 VOLTS 3 PHASES	240 VOLTS 1 PHASE
Maximum amperage Nominal system	14 amps	17 amps	37 amps	37 amps	50 amps
Pump GPM	9 GPM	9 GPM	9 GPM	9 GPM	5 GPM
Operation Pressures	2100	2100	1900	1900	2100
Bale ready	1900	1900	1700	1700	1900


LOW PROFILE DUO CYLINDERS

Hydraulic Cylinder	2 X 4"	2 X 4"	2 X 4"	2 X 4"	2 X 4"
Cylinder Stroke	32"	32"	32"	32"	32"
Compaction Force	52 750 lbs	52 750 lbs	47 750 lbs	47 750 lbs	52 750 lbs
Ram pressure	36,6 PSI	36,6 PSI	33,16 PSI	33,16 PSI	36,6 PSI
Cycle Time	42 seconds	42 seconds	42 seconds	42 seconds	74 seconds
Bale Weight	Up to 655 lbs	Up to 655 lbs	Up to 600 lbs	Up to 600 lbs	Up to 655 lbs
Bale Dimension	48" X 30" X 36"				
Loading door	20.5" X 48"				


655



TOP VIEW



FRONT VIEW



SIDE VIEW

SHIPPING INFORMATION

WEIGHT : 4400 LBS | SIZE : W 87 3/16" X D 50 5/8" X H 78 1/16"

Manufacturer of Sustainable Development Equipment Since 1996

MDA Compaction specializes in the design and manufacturing of innovative solutions for waste materials management. With decades of experience, we are dedicated to advancing efficient, safe, and environmentally responsible practices for handling residual and recyclable materials. Our commitment to quality ensures that we deliver economical and sustainable solutions for the removal, treatment, storage, transportation, recovery, and disposal of residual materials—all in full compliance with environmental standards. At MDA Compaction, customer satisfaction, product excellence, and safety are at the heart of everything we do. We didn't achieve industry leadership by chance; we've redefined design and driven innovation to prioritize efficiency and safety. Let us help you manage today's challenges while building a cleaner, more sustainable future.

**We are not the best by
chance.**

**Re-thinking the design
was key to the evolution
towards safety and
efficiency!**

OUR RANGE OF COMPACTION PRODUCTS

SELF-CONTAINER COMPACTOR



STATIONARY COMPACTOR



SELF-CONTAINED COMPACTOR 6 PAK



ECO COMPACTOR



VERTICAL COMPACTOR



HORIZONTAL BALER



 **RECYCLABLE MATERIALS**

 **WASTE**

 **MDA
COMPACTION**
SOLUTIONS 

819 362-2424
ventes@mdapp.ca

2323 Av. des Érables, Plessisville, QC G6L 2E9

